

and frigid regions, including the mountains within the tropics; but especially abundant in the northern hemisphere.

1. **Ranunculus amarillo**, Bert. Fl. Guat. p. 24.

GUATEMALA (*Velasquez*).

2. **Ranunculus aschenbornianus**, Schauer, in Linnæa, xx. p. 719.

SOUTH MEXICO, mountains about Tula (*Aschenborn*, 489).

3. **Ranunculus cymbalaria**, Pursh, Fl. Am. Sept. ii. p. 392; DC. Syst. i. p. 252.

CANADA to the ARGENTINE REPUBLIC.—NORTH MEXICO, region of San Luis Potosi, 6000 to 7000 feet (*Parry & Palmer*, 3); SOUTH MEXICO, Zimapan (*Coulter*, 651), marshy pastures near the city of Mexico (*Bourgeau*, 2).—Also in NORTHERN ASIA and EUROPE. Hb. Kew.

4. **Ranunculus delphinifolius**, H. B. K. Nov. Gen. et Sp. v. p. 48.

SOUTH MEXICO, wet pastures, Morelia (*Hartweg*, 267), Real del Monte (*Coulter*, 648), Zimapan (*Coulter*, 650), Santa Fé (*Bourgeau*, 284), Toluca (*Heller*), Mexico (*Graham*, 114 and 115). Hb. Kew.

5. **Ranunculus dichotomus**, Moç. et Sessé, in DC. Syst. Veg. i. p. 288; Calques des Dess. Fl. Mex. 1.

NORTH MEXICO, region of San Luis Potosi, 6000 to 8000 feet (*Parry & Palmer*, 5); SOUTH MEXICO, in wet grassy places near Jalapa (*Schiede*), between San Miguel del Soldado and La Joya (*Schiede*), Oaxaca (*Galeotti*, 4568), Real del Monte (*Coulter*, 647), Tacubaya, valley of Mexico (*Bourgeau*, 1), Mexico (*Harris*).—COLOMBIA; PERU. Hb. Kew.

6. **Ranunculus donianus**, Pritzel, in Walp. Rep. ii. 740.

Ranunculus humilis, D. Don, in G. Don's Gen. Syst. i. p. 34, nec Collie in Hook. Bot. Beechey's Voy.

MEXICO (Hb. Lambert).

7. **Ranunculus geoides**, H. B. K. Nov. Gen. et Sp. v. p. 47, t. 429.

SOUTH MEXICO, peak of Orizaba, 9000 to 12,000 feet (*Linden*, 960); near Moran and Real del Monte (*Humboldt & Bonpland*). Hb. Kew.

8. **Ranunculus hookeri**, Schl. in Linnæa, ix. p. 610.

NORTH MEXICO, region of San Luis Potosi, 6000 to 8000 feet (*Parry & Palmer*, 6); SOUTH MEXICO, Oaxaca (*Galeotti*, 4567), Orizaba, abundant (*Bourgeau*, 2414), Vera Cruz to Orizaba (*Müller*), Zimapan and Real del Monte (*Coulter*, 645 and 648), in grassy places near Jalapa (*Schiede*). Hb. Kew.

9. **Ranunculus hydrocharis**, Spenner, Fl. Frib. iv. p. 1007 (*R. longirostris*, Godr., = *R. aquatilis*, Linn., var.).

SOUTH MEXICO, Rio de Actopan (*Schiede*), canal of Santa Anita, near Mexico, and road from Pueblo Viejo to Real del Monte. Hb. Paris.

This appears to be the only form of the Batrachian *Ranunculi* collected in Mexico.